



*Technology and aesthetics
in perfect harmony*

The N 2000, I 2000 and K 2000 cassette awnings score high on classic elegance – *something that never goes out of style*



The perfect awning for any type of building

The casing on the N 2000, I 2000 and K 2000 cassette awnings with back wall section provide the ideal protection for the mechanism and fabric

Very few products can so impressively master the Ying and Yang of technology and aesthetics as the **N 2000**, **I 2000** and **K 2000** cassette awnings.

The **I 2000** has been designed specifically for wall assembly, with the masonry providing the natural last touch. With its back wall section, the **K 2000** is ideally suited for wall, ceiling and rafter mounting alike.



Draw from our comprehensive range of colour shades and fabric patterns.



**Matching designs:
wonderful fabrics**

Combine the wide range of frame colours with over 140 exquisite fabric patterns from weinor's "moments" fabric collection. You could, for example, use the same colour as the house façade for the awning and its fabric.




weinor acrylic fabrics, with their high quality workmanship and tear-resistance, are noted for their exceptionally long lives. Special finishing processes also make them particularly UV resistant. Use of the latest nanotechnology gives weinor's fabrics exceptional dirt- and water-repellent properties.



**weinor awnings with
a big choice of colours**

Exclusively from weinor: Choose from 47 standard frame colours, 8 highly scratch-resistant and dirt-repellent trendy conservatory colours (5% surcharge) as well as another 200 special RAL colours for your awning.



The wipe test proves it: trendy conservatory colours are both scratch-resistant and exceptionally dirt-repellent.

Add colour accents

Use contrasting coloured end caps to create interesting effects. Choose from six attractive colours – to blend in with your house or garden furniture.




Especially suitable for niches

The N 2000 is ideally suited for niche situations, where brickwork replaces the roof, back wall and side parts.



Cassette awnings with immense extension

The N 2000, I 2000 and K 2000 are especially suited for shading large patios



Choose the awning coupling for you: jockey cover for projections of up to 3.5 m, and the sliding support coupling for projections of up to 4 m.



Multi-section units provide pleasant shade on extra-large areas. Join your motor-driven awnings to a width of up to 12 m! Needless to say, your awnings can also be connected in series.

Comfort with the remote control



You can operate the **WeiTronic Remoto** remote control to adjust shade, heating and light from your favourite chair. You can even adjust the light and heating.

*It's all in your hands:
clever accessories for your comfort*



The Light Bar Lux creates a pleasant atmosphere

With the Light Bar Lux, you can always put yourself and your guests in the right light. The light bar is easy to fit to an outside wall. It can be operated by hand or remote control. You can use the light to create a pleasant atmosphere on your patio.



The patio heating makes the season longer

The heating system **Tempura** makes the patio a very pleasant place to be, even in cooler weather. The radiated heat covers a relatively large area. The housing can be adjusted upwards and downwards as required.

CLICK-FIT With an exceptionally long service life of 5,000 hours, you will find these quality Philips heating tubes very convincing. Replacing the tubes is quick and simple with the Philips Click-fit-System.




Reacting to all weathers: WeiTronic weather sensors

The **WeiTronic** weather sensors are available as just a sun sensor, a sun and wind sensor, or a sun, wind and rain sensor. Depending on the version, they automatically open the awning in the sun and retract it in the wind and rain. That way, they provide protection and safety, even when you are not at home.


Perfect and simple fitting, even in a wide range of different locations with modern two-point mounting

N 2000




Niche installation

I 2000




Wall mounting


K 2000



Wall mounting




Ceiling mounting



Rafter mounting

Vertical protection from view using the Volant Plus valance

If the sun is low or prying looks make you feel uncomfortable, simply lower the Volant Plus valance as far as needed (up to 2 m projection).



Technical details
Max. width
Max. projection
Casing size (b x h)
Coupled units
Crank operation
Motor drive
WeiTronic* remote control
Volant Plus
Pitch angle adjustment
Choice of materials
47 standard RAL colours
Other RAL colours
8 trendy conservatory colours
Other structure colours
Faceplate for endcap
Types of mounting
Lighting*

N 2000	I 2000	K 2000
700 cm	700 cm (1200 cm, 2-piece system)	
	400 cm	400 cm
19.7 x 19.2 cm	19.8 x 21.1 cm	20.0 x 21.1 cm
no	yes, optional	yes, optional
yes, optional	yes, optional	yes, optional
yes, as standard	yes, as standard	yes, as standard
WeiTronic Combio-868 MA, WeiTronic Combio-868 LD (with suitable WeiTronic hand-held control units)		
no	yes*	yes*
5° to 45°	5° to 45°	5° to 45°
wide selection of fabrics from the current weinor collections		
yes	yes	yes
yes, for an additional charge (10%)		
yes, for an additional charge (5%)		
yes, for an additional charge (15%)		
RAL 9016 White Standard, RAL 9006 White Aluminium, RAL 5017 Blue Standard, RAL 1003 Signal Yellow, RAL 6005 Moss Green, weinor 7319 Weinor Grey		
niche installation	wall mounting	wall, ceiling or rafter mounting
can be retrofitted	can be retrofitted	can be retrofitted



We are committed to the very highest quality

weinor puts a lot of emphasis on quality, from the design and materials to workmanship, mounting and service. If handled appropriately, the **N 2000**, the **I 2000** and the **K 2000** will withstand weather influences a life long.

Proven top quality

Awning technology for the highest demands



Patented technology for maximum safety

The patented folding arms with wind lock safety device hold the awning in place and prevents it from being lifted by surging winds. During retraction, the folding arms disappear completely into the casing. Arm stops prevent the arms from hitting the rail.



Made in Germany – certified top weinor quality

Qualität ist unser oberstes Gebot. Darum besitzt ein Großteil unserer Produkte das TÜV-Zertifikat. weinor investiert viel in die Entwicklung neuer Erzeugnisse. Das Resultat: innovative Produkte „Made in Germany“.



Longevity

We don't cut corners on the big or small parts: All our small parts such as screws, nuts and bolts are of stainless steel so they will last an eternity. All other parts are powder coated in an elaborate process. This makes them impact and scratch resistant.



Non-wearing

Even after being opened and closed many thousands of times the round steel linking chain in the centre joint of the awning shows no signs of wear. **We guarantee it for 10 years.**



Taking a hammering

While cast parts can shatter, weinor's forged materials can even withstand hammering.



▲ weinor awnings



reddot design award
winner 2008

▲ weinor patio roofs
with VertiTEx awning

Your dream patio at any time of year



▲ weinor conservatories

No matter what you want to use your patio for, weinor has the right product for you – awnings, patio roofs and conservatories

As an experienced awning specialist, your weinor dealer will help you throughout the process, from planning to completion. They will help make your patio dreams come true and will support you with advice and help. That way you stay on the safe side at all times.



Description	Patent no
Awning with infrared radiator and/or loudspeaker	000001403442
Awning	000001310609
Awning	000000874104
Awning	000000745742
Florentine blind with articulated arms	000000665346
Tipping hinge for awnings	000000620334
Coupling arrangement for the rollers of awnings and similar	000000572820
Shading device	000000959195

Important Informations:

Creases can form in the fabric and when folding the awning cloth. That can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the fabric in the areas of the seam, border and panels can be caused by multiple layers of fabric and different diameters of rolled up fabric. The stresses in the fabric caused by this can lead to rippling (e.g. waffle or fishbone shapes). This is normal to differing degrees with nearly all awning fabrics. Creases and folds in the fabric do not reduce the awning's value or its suitability for its purpose. Awnings and conservatory blinds are for

protection from the sun and should be rolled up in rain and strong winds. Wet fabric creases more easily and as far as possible should only be retracted after drying out (please take care in strong winds and avoid the formation of puddles). Depending on the colour of the ordered frame we supply all small parts as well as crank handles and drives for units with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319). We reserve the right to make technical changes. For technical reasons the colours may appear slightly different in print.

www.weinor.co.uk

Your dealer will be happy to advise you: